Safety Data Sheet

Issue Date: 21-Nov-2013 Revision Date: 19-Dec-2013 Version 1

1. IDENTIFICATION

Product Identifier

Product Name ROOF SEAL PREMIUM-Fluid Applied Elastomeric Coating

Other means of identification

SDS # RSP

Recommended use of the chemical and restrictions on use

Recommended Use Elastomeric coating for concrete, metal, SPF, asphaltic and other substrates.

Details of the supplier of the safety data sheet

Manufacturer Address Acry-Tech Coatings, Inc. 3601 NE 5th Avenue Oakland Park, FL 33334

Emergency Telephone Number

Company Phone Number 1-800-771-6001

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance White colored moderately Physical State Liquid Odor Mild characteristic

viscous liquid

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Other Hazards

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
1,2 Propanediol	57-55-6	<1
7 alpha ethylihydri 1H,3H,5H oxazolo (3,4c)oxazole	7747-35-5	<1
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea	330-54-1	<1
Ammonia	7664-41-7	<1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

medical attention.

Skin Contact Wash off immediately with soap and plenty of water. If skin irritation persists, call a

physician.

Inhalation Remove to fresh air. Seek medical attention.

Ingestion Drink 1 or 2 glasses of water. Call a physician.

Most important symptoms and effects

Symptoms Breathing vapors may result in headaches, nausea, and irritation to the lungs. May cause

dermatitis or irritation in some individuals upon prolonged contact. Prolonged contact may cause irreversible damage to eye. Exposed individuals may experience eye tearing, redness and discomfort. May cause nausea, vomiting and/or diarrhea if ingested. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. May adversely affect renal, hepatic,

Revision Date: 19-Dec-2013

neurologic processes, spleen, and thyroid.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical.

Unsuitable Extinguishing Media Water aggravates spill cleanup.

Specific Hazards Arising from the Chemical

Material can splatter above 100 degrees Celsius. Dried film may burn.

Hazardous Combustion Products Carbon oxides. Nitrogen oxides (NOx).

Sensitivity to Mechanical Impact NotApplicable.
Sensitivity to Static Discharge NotApplicable.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions If in a confined area, NIOSH approved respiratory protection may be required. Keep

spectators away.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to doso.

Methods for Clean-UpRecover free liquid. Spread material evenly on a plastic film and allow to dry thoroughly.

Dispose of in accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid breathing product vapors. Deliberate ingestion or concentrating and inhaling of

vapors may be harmful or fatal. See label precautions. Avoid contact with eyes. Use

Revision Date: 19-Dec-2013

personal protection recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect containers

from rupture. Keep from freezing. Store between 40° and 120°F (4° and 49°C).

Incompatible Materials Substances that are incompatible with water. Oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea 330-54-1	TWA: 10 mg/m ³	(vacated) TWA: 10 mg/m ³	TWA: 10 mg/m ³
Ammonia 7664-41-7	STEL: 35 ppm TWA: 25 ppm	TWA: 50 ppm TWA: 35 mg/m³ (vacated) STEL: 35 ppm (vacated) STEL: 27 mg/m³	IDLH: 300 ppm TWA: 25 ppm TWA: 18 mg/m³ STEL: 35 ppm STEL: 27 mg/m³

Appropriate engineering controls

Engineering Controls Local exhaust ventilation recommended. Mechanical ventilation is acceptable.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear approved safety goggles where a splash hazard exists.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory Protection For spills or overexposure wear NIOSH approved respiratory protection with organic vapor

cartridges.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Page 3/8

9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 19-Dec-2013

Information on basic physical and chemical properties

Physical State Liquid

Appearance White colored moderately viscous Odor Mild characteristic

liquid

Color White Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 8.5-9.0 Melting Point/Freezing Point 0 °C / 32 °F Boiling Point/Boiling Range > 100 °C / >212 °F

Flash Point Not established (water based product)

Evaporation Rate < 0.1
Flammability (Solid, Gas) n/a-liquid
Upper Flammability Limits Not applicable
Lower Flammability Limit Not applicable
Vapor Pressure Not established
Vapor Density Not established

Specific Gravity 1.32 (1=Water)

Water Solubility Dilutable in water Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined **VOC Content** 0.75 lb/gal; 90 g/L **Density** 11.40 lb/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Temperatures >100 °C.

Incompatible Materials

Substances that are incompatible with water. Oxidizers.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Revision Date: 19-Dec-2013

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1,2 Propanediol 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea 330-54-1	-	-	> 0.265 mg/L (Rat)
Ammonia 7664-41-7	= 350 mg/kg (Rat)	-	= 5.1 mg/L (Rat) 1 h = 2000 ppm (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Revision Date: 19-Dec-2013

Ecotoxicity

None expected.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2 Propanediol 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	microorganisms	10000: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50 Static
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea 330-54-1	0.022: 96 h Desmodesmus subspicatus mg/L EC50 0.036: 72 h Desmodesmus subspicatus mg/L EC50 static 0.1: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.0007: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.301: 72 h Pseudokirchneriella subcapitata mg/L EC50 static	13.4 - 15: 96 h Pimephales promelas mg/L LC50 flow-through 13.4 - 15: 96 h Pimephales promelas mg/L LC50 static 2.3 - 3.3: 96 h Lepomis macrochirus mg/L LC50 static 4: 96 h Lepomis macrochirus mg/L LC50 1.5 - 2.54: 96 h Oncorhynchus mykiss mg/L LC50 static 14.7: 96 h Oncorhynchus mykiss mg/L LC50 2.9: 96 h Cyprinus carpio mg/L LC50		1.4: 48 h Daphnia magna mg/L EC50 6.3 - 13: 48 h Daphnia magna mg/L EC50 Static
Ammonia 7664-41-7		0.44: 96 h Cyprinus carpio mg/L LC50 0.26 - 4.6: 96 h Lepomis macrochirus mg/L LC50 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 5.9: 96 h Pimephales promelas mg/L LC50 static 1.5: 96 h Poecilia reticulata mg/L LC50 1.19: 96 h Poecilia reticulata mg/L LC50 static		25.4: 48 h Daphnia magna mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea 330-54-1	2.82
Ammonia 7664-41-7	-1.14

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Revision Date: 19-Dec-2013

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
n-(3, 4-Dichlorophenyl)-n,	100 lb		RQ 100 lb final RQ
n-Dimethylurea			RQ 45.4 kg final RQ
330-54-1			
Ammonia	100 lb	100 lb	RQ 100 lb final RQ
7664-41-7			RQ 45.4 kg final RQ

SARA 311/312 Hazard Categories

Not applicable

SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea - 330-54-1	330-54-1	<1	1.0
Ammonia - 7664-41-7	7664-41-7	<1	1.0

B = 40

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea 330-54-1 (<1)	100 lb			X
Ammonia 7664-41-7 (<1)	100 lb			Χ

Revision Date: 19-Dec-2013

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea - 330-54-1	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
1,2 Propanediol 57-55-6	X		Х
n-(3, 4-Dichlorophenyl)-n, n-Dimethylurea 330-54-1	Х	Х	Х
Ammonia 7664-41-7	Х	Х	Х

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	1	0	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	0	0	Not determined

Issue Date:21-Nov-2013Revision Date:19-Dec-2013Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet